



Nikon™

At the heart of the image™

COOLPIX L6



COOLPIX LIFE

memories made easy

memories
made easy



Enduring energy for
enduring memories.

L6

6.0
Effective
Megapixels


3X
Optical
Zoom-Nikkor
Glass Lens

2.5"
Incredible, Bright
LCD Screen

1000
Shots with Energizer®
e² Lithium® batteries

1000 Shots!!!

The world's longest battery life...get up to 1000 shots!*



1000

memories
made easy

Perfect for extended travels or for capturing a big event, the L6 keeps on shooting without battery worries. You'll get approximately 1,000 shots per pair of Energizer® e2® Lithium® batteries.

* Approximately 1,000 shots with supplied Energizer® e2® Lithium® AA-size batteries, 400 shots with alkaline AA-size batteries. Best performance in 3x zoom compact class as of August 2006.

Nikon In-Camera Innovations

Makes taking great pictures effortless.



In-Camera Red-Eye Fix™ Automatically detects and fixes most typical occurrences of red-eye. You may never see red-eye again.



D-Lighting In playback mode, D-Lighting will compensate for underexposed images or insufficient flash by automatically adding light and detail to selected shots where needed — without affecting properly exposed areas.



Face-Priority AF To ensure superb portraits with crisp focus, select Face-Priority AF (in Portrait SceneMode). It automatically finds the subject's face and focuses on it.



ISO 800 Sensitivity settings up to ISO 800 enable faster shutter speeds to allow you to take sharper photos in low light situations.

Best Shot Selector enables the camera to take a series of photos and automatically select the one with the sharpest focus.

Movie Recording with sound allows you to record 30 FPS movies in 3 modes; TV quality size (640), small size (320) and smaller (160) for recording or internet usage.

Voice Memo Function records up to 20 seconds of sound that can be then attached to an image.



In-Camera Cropping Allows you to crop out the part of the image you don't want and keep the part you like.

Saturation Mode allows you to control the color saturation.

Noise Reduction Mode minimizes digital artifacts in long exposures.

Blur Warning alerts you to a blurry image

Intuitive Automatic Features

Simply Smart




Sunset



Close Up



Landscape



Portrait



Fireworks Show



The **COOLPIX L6** features 15 specially programmed modes to automatically handle focus, exposure, white balance and other adjustments that help you take great pictures easily. Plus 4 of the 15 scene modes come with Scene Assist which offers a selection options to help you compose your pictures with the assistance of framing guides displayed in the monitor.

3x Optical Zoom-Nikkor Glass Lens

High quality lenses deliver high quality pictures.



38mm




116mm

The Zoom-Nikkor Glass Lens gives you the power of 3x optical zoom lens, 38mm-116mm (35mm equivalent). Nikons' world-renowned optical technology delivers crisp, clear images.

3x Optical Zoom-Nikkor Glass Lens plus 4x digital zoom equals 12x zoom range

In-Camera Color Options & QuickTime™ Movie with Sound



Standard



Vivid Color



Black and White



Sepia



Cool

Five color shooting options.



Shoot a Quicktime Movie with sound at up to 30 frames per second.

Incredible, Bright 2.5" LCD & PictureProject™ Software

Makes shooting and sharing images easier



The **COOLPIX L6** is equipped with an incredible 2.5" LCD great for viewing images anywhere, anytime. The 115,000 dot LCD monitor with LED backlight makes composing and playing back images easy!

PictureProject adds value to the entire photographic experience. Supplied with every **COOLPIX** camera, this user-friendly software simplifies picture editing and makes it easy to organize and share images. Just touch the transfer button to upload images to your computer using PictureProject software and supplied USB cable.

Transfer directly to Printer, TV or Web




Print directly from your camera

You can transfer images directly to print, without the need of a PC, when using PictBridge and USB Direct Print compatible printers.


Connect directly to your TV

Show friends and family the results on a grand scale with the supplied video cable.

COOLPIX L6



Actual size
L6 3.6w x 2.4"h x 1.0"d (only 4.4 oz!)



Incredible, Bright 2.5" LCD Monitor for high visibility in daylight

Only 1.0" thick



Great Accessories



Case and Battery Kit



AC Adapter EH-65A



Battery Recharger MH-71, NiMH-AA type batteries



Rechargeable Battery NiMH

Fantastic Features We thought of everything!

COOLPIX L6 6.0 Megapixels for beautiful prints up to 16 x 20 inches.

High Quality 3x Optical Zoom-Nikkor Glass Lens for incredibly sharp, clear images.

Up to 1000 Shots per one pair of the included Energizer® e² Lithium® batteries.

Incredible, Bright 2.5 Inch LCD for easy viewing and playback of pictures.

ISO 800 for sharper photos in low light situations.

Nikon In-Camera Red-Eye Fix™ automatically fixes most instances of red-eye.

Nikon D-Lighting automatically brightens the dark areas in the picture when in playback mode.

Face-Priority AF automatically finds a face and focuses on it for crisp, sharp portraits.

16 Scene Modes, 4 with Scene Assist, to guide you in taking better pictures, easily and automatically.

In-Camera Help button instantly displays an explanation for all the functions within all menus.

Take Great Close-Up Pictures with the ability to focus as close as 3.9 inches from your subject.

TV Quality Movie Mode with sound available at 30 frames per second.

Print Directly to a Printer by connecting directly to a PictBridge-compatible printer.

COOLPIX L6

Digital Camera Specifications

Type	Compact digital camera
Product Name	COOLPIX L6
Effective pixels	6.0 million
CCD	1/2.5-inch type (6.2 million total pixels)
Image modes	6M* High (2816 x 2112)/Fine, 6M Normal (2816 x 2112)/Normal, 3M (2048 x 1536)/Normal, PC Screen (1024 x 768), TV Screen (640 x 480)
Lens	3x Zoom-Nikkor; 6.3-19.2mm (35mm [135] format equivalent to 38-116mm); f/3.2-5.3; 5 elements in 5 groups; Digital zoom: up to 4x
Focus range	30cm (11.8 in.) to infinity (∞), 10cm (3.9 in.) to infinity (∞) in Macro Mode
LCD monitor	2.5-inch type, 115,000-dot TFT LCD monitor with brightness adjustment
Storage media	Internal memory: approx. 23MB, SD memory card compatible (not included)
Shooting modes	Auto, 4 modes with Scene Assist (Portrait, Landscape, Sports, Night portrait), 11 Scene Modes (Party/Indoor, Beach/Snow, Sunset, Dusk/Dawn, Night landscape, Close up, Museum, Fireworks show, Copy, Back light, Panorama assist, Voice Recording), BSS (Best Shot Selector), Color Options, Blur Warning, Date Imprint, Self-timer (3, 10 sec.)
Movie	With sound: TV movie (640) at 30/15fps, Small size (320) at 30fps/15fps, Smaller size (160) at 15fps
Capture modes	1) Single, 2) Continuous (approx. 1.7fps), 3) Multi-shot 16 (approx 2fps, only available at image size 6M), 4) Interval timer shooting
Number of frames (w/internal memory)	6M* High: approx 7, 6M Normal: approx 15, 3M Normal: approx 28
Built-in flash	Range: 1 ft–16.4 ft./ 0.3–5m (W), 1 ft.–9.8 ft./0.3–3m/. (T); Flash modes: Auto, Auto with Red-eye Reduction (In-Camera Red-Eye Fix™), Flash cancel, Anytime flash and Slow sync.
Interface	USB, Audio Video output
Supported languages	German/English/Spanish/French/Italian/Dutch/Russian/Swedish/Japanese/Simplified Chinese/Traditional Chinese/Korean/Thai/Portuguese/Polish/Indonesian/Finnish/Norwegian/Czech selectable in menu display

Power requirements	Two AA Energizer® e2® Lithium® batteries (included), AA alkaline batteries (optional), Two AA-size batteries (Rechargeable Ni-MH Battery EN-MH1 with Battery Charger MH-71) (optional), ZR6 oxy-nickel batteries (optional) and AC Adapter EH-65A (optional)
Battery life (approx.)	Approx 1,000 shots with Energizer® e2® Lithium® batteries, 400 shots with alkaline batteries, and 540 shots with EN-MH1 rechargeable Ni-MH batteries (based on CIPA standard*)
Dimensions (w x h x d)	Approx 3.6 x 2.4 x 1.0 in. (91 x 60.5 x 26mm)
Weight	4.4 oz (125g) (without battery and memory card)
Supplied accessories †	2 Energizer® e2® Lithium® batteries, Strap, USB Cable UC-E6, Audio Video Cable EG-CP14, PictureProject CD-ROM†
Optional accessories	AC Adapter EH-65A, Rechargeable Ni-MH Battery EN-MH1-B2, Battery Charger MH-71

† Supplied accessories may differ by country or area.
‡ Not available in some countries or areas.

PictureProject System Requirements

OS Macintosh: Mac® OS X version 10.1.5 or later (version 10.2.8 or later required for Burn Disc option) / Windows: Windows® XP Home Edition/Professional, Windows® 2000 Professional, Windows® Me, Windows® 98SE pre-installed models

Microsoft® and Windows® are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Macintosh® and QuickTime® are either registered trademarks or trademarks of Apple Computer Inc. in the United States and/or other countries. The FotoNation logo is a trademark. The SD logo is a trademark. PictBridge is a trademark. D-Lighting technology is provided by Apical Limited. Face-priority AF technology is provided by Identix®. Products and brand names are trademarks or registered trademarks of their respective companies.

Specifications and equipment are subject to change without any notice or obligation on the part of the manufacturer. August 2006 ©2006 Nikon Inc.



Everything you need to get started!
Two AA Energizer® e2® Lithium® batteries, USB Cable UC-E6, Audio Video Cable EG-CP14, Video Cable EG-CP11, Strap, PictureProject CD-ROM



Nikon Inc.
1300 Walt Whitman Road Melville NY 11747 nikondigital.com • 1-800-Nikon-UX



CDP - L6-01