



AF-S DX ZOOM-NIKKOR 18-55mm f/3.5-5.6G ED



- Ideal as a normal lens designed exclusively for Nikon DX format SLRs, this ultra-compact 18-55mm* 3X zoom provides superb versatility in a wide variety of shooting situations.
- New compact rod-type Silent Wave Motor (SWM) enables ultra-high speed autofocus with exceptional accuracy and super-quiet operation.
- ED glass element achieves minimized chromatic aberration and superior optical performance.
- Hybrid aspherical element ensures high resolution and contrast.
- Nikon Super Integrated Coating minimizes ghosting and flare to provide even higher contrast and more vivid images, even in challenging light conditions.
- Focus Mode switch enables quick-switching between A (Autofocus) and M (Manual Focus).
- 7-blade rounded diaphragm for more natural out-of-focus highlights.

PRODUCT DETAIL



*For comparative purposes only, the practical picture angle of an 18-55mm lens on a Nikon DX format digital SLR will provide a picture angle equivalent to that produced by a 27-82.5mm lens on a 35mm format camera.



AF-S DX ZOOM-NIKKOR 18-55mm f/3.5-5.6G ED

AF-S DX ZOOM-NIKKOR 18-55mm f/3.5-5.6G ED SPECIFICATIONS

PRODUCT # 2158

Focal Length

18-55mm (35mm equivalent 27-82.5mm)

Maximum Aperture

f/3.5-5.6

Minimum Aperture

f/22-32

Lens Construction

7 elements in 5 groups (with 1 ED glass element and 1 hybrid aspherical lens element)

AF G-Type

AF Nikkor G-Type lenses feature more compact lens designs and include D-Type technology that provides the camera with precise distance information for flash and ambient light exposure processes

DX Type

DX Nikkor is designed exclusively for use with Nikon Digital SLR models

Picture Angle on Nikon DX Format Sensor

76 degrees (@18mm) to 28 degrees, 50 minutes (@55mm)

Minimum Focus Distance

0.28m (11.4 inches)

Maximum Reproduction Ratio

1:3.2

Filter/Attachment Size

52mm

Dimensions

Approx. 69mm x 75mm long (2.7 in. x 2.9 in.)

Weight

Approx. 210g (6.8 oz.)

Included Accessories

LC-52 Snap-on Front Lens Cap
Rear Lens Cap

Optional Accessories

HB-33 Lens hood
CL-0715 Soft Lens Pouch

WWW.NIKONSLR.COM / 1-800-NIKON-US / DSLR-2158-01

Specifications and equipment are subject to change without any notice or obligation on the part of the manufacturer.

April 2005. ©2005 NIKON INC. 1300 Walt Whitman Road, Melville NY 11747



AF-S DX ZOOM-NIKKOR 55-200mm f/4-5.6G ED



- Versatile and ultra-compact with a powerful focal length range of 55-200mm,* this is an ideal 3.6X zoom lens for portraiture, sports or wildlife, and is designed exclusively for Nikon DX format SLRs.
- An excellent companion to the AF-S DX Zoom-Nikkor 18-55mm f/3.5-5.6G ED
- New compact rod-type Silent Wave Motor (SWM) enables ultra-high speed autofocus with exceptional accuracy and super-quiet operation.
- Two ED glass elements achieve minimized chromatic aberration and superior optical performance.
- Nikon Super Integrated Coating minimizes ghosting and flare to provide even higher contrast and more vivid images, even in challenging light conditions.
- Focus Mode switch enables quick-switching between A (Autofocus) and M (Manual Focus).
- 9-blade rounded diaphragm for more natural out-of-focus highlights.

PRODUCT DETAIL



*For comparative purposes only, the practical picture angle of a 55-200mm lens on a Nikon DX format digital SLR will provide a picture angle equivalent to that produced by a 82.5-300mm lens on a 35mm format camera.



AF-S DX ZOOM-NIKKOR 55-200mm f/4-5.6G ED

AF-S DX ZOOM-NIKKOR 55-200mm f/4-5.6G ED SPECIFICATIONS

PRODUCT # 2156

Focal Length

55-200mm (35mm equivalent 82.5-300mm)

Maximum Aperture

f/4-5.6

Minimum Aperture

f/22-32

Lens Construction

13 elements in 9 groups (with 2 ED glass elements)

AF G-Type

AF Nikkor G-Type lenses feature more compact lens designs and include D-Type technology that provides the camera with precise distance information for flash and ambient light exposure processes

DX Type

DX Nikkor is designed exclusively for use with Nikon Digital SLR models

Picture Angle on Nikon DX Format Sensor

28 degrees, 50 minutes (@55mm) to 8 degrees (@200mm)

Minimum Focus Distance

0.95m (3.1 ft.)

Maximum Reproduction Ratio

1:3.5

Filter/Attachment Size

52mm

Dimensions

Approx. 68mm x 79mm long (2.7 in. x 3.1 in.)

Weight

Approx. 255g (9 oz.)

Included Accessories

LC-52 Snap-on Front Lens Cap
LF-1 Rear Lens Cap
HB-34 Lens Hood
CL-0815 Soft Lens Case

Optional Accessories

52mm Screw-In Filters

WWW.NIKONSLR.COM / 1-800-NIKON-US / DSLR-2156-01

Specifications and equipment are subject to change without any notice or obligation on the part of the manufacturer.

April 2005. ©2005 NIKON INC. 1300 Walt Whitman Road, Melville NY 11747